
# Answering Questions by Querying the Implicit Knowledge Base Inside T5

Colin Raffel

with Adam Roberts, Noam Shazeer, Katherine Lee, Sharan Narang, Michael Matena, Yanqi Zhou, Wei Li, and Peter J. Liu




Unsupervised pre-training


The cabs \_\_\_\_ the same rates as those by horse-drawn cabs and were \_\_\_\_ quite popular, \_\_\_\_ the Prince of Wales (the \_\_\_\_ King Edward VII) travelled in \_\_\_\_. The cabs quickly \_\_\_ known as "hummingbirds" for \_\_\_\_ noise made by their motors and their distinctive black and \_\_\_\_ livery. Passengers \_\_\_\_ the interior fittings were \_\_\_\_ when compared to \_\_ cabs but there \_\_\_\_ some complaints \_\_\_\_ the \_\_\_\_ lighting made them too \_\_\_\_ to those outside \_\_\_\_.


Supervised fine-tuning

This movie is terrible! The acting is bad and I was bored the entire time. There was no plot and nothing interesting happened. I was really surprised since I had very high expectations. I want 103 minutes of my life back!



charged, used, initially, even, future, became, the, yellow, reported, that, luxurious, horse-drawn, were that, internal, conspicuous, cab





## Common Crawl Web Extracted Text

Menu

Lemon

#### Introduction

The lemon, Citrus Limon (I.) Osbeck, is a species of small evergreen tree in the flowering plant family rutaceae. The tree's ellipsoidal yellow fruit is used for culinary and non-culinary purposes throughout the world, primarily for its juice, which has both culinary and cleaning uses. The juice of the lemon is about 5% to 6% citric acid, with a ph of around 2.2, giving it a sour taste.

#### Article

The origin of the lemon is unknown, though lemons are thought to have first grown in Assam (a region in northeast India), northern Burma or China. A genomic study of the lemon indicated it was a hybrid between bitter orange (sour orange) and citron.

Please enable JavaScript to use our site. Home Products Shipping Contact FAO Dried Lemons, \$3.59/pound Organic dried lemons from our farm in California. Lemons are harvested and sun-dried for maximum flavor. Good in soups and on popcorn. The lemon, Citrus Limon (I.) Osbeck, is a species of small evergreen tree in the flowering plant family rutaceae. The tree's ellipsoidal yellow fruit is used for culinary and non-culinary purposes throughout the world, primarily for its juice, which has both culinary and cleaning uses. The juice of the lemon is about 5% to 6% citric acid, with a ph of around 2.2, giving it a sour taste.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Curabitur in tempus quam. In mollis et ante at consectetur. Aliguam erat volutpat. Donec at lacinia est. Duis semper, magna tempor interdum suscipit, ante elit molestie urna, eget efficitur risus nunc ac elit. Fusce quis blandit lectus. Mauris at mauris a turpis tristique lacinia at nec ante. Aenean in scelerisque tellus, a efficitur ipsum. Integer justo enim, ornare vitae sem non, mollis fermentum lectus. Mauris ultrices nisl at libero porta sodales in ac orci. function Ball(r) { this.radius = r: this.area = pi \* r \*\* 2: this.show = function(){ drawCircle(r);

# Colossal Clean Crawled Corpus (C4)

#### Menu

Lemon

#### Introduction

The lemon, Citrus Limon (l.) Osbeck, is a species of small evergreen tree in the flowering plant family rutaceae. The tree's ellipsoidal yellow fruit is used for culinary and non-culinary purposes throughout the world, primarily for its juice, which has both culinary and cleaning uses. The juice of the lemon is about 5% to 6% citric acid, with a ph of around 2.2, giving it a sour taste.

#### Article

The origin of the lemon is unknown, though lemons are thought to have first grown in Assam (a region in northeast India), northern Burma or China. A genomic study of the lemon indicated it was a hybrid between bitter orange (sour orange) and citron. Please enable JavaScript to use our site. Home Products Shipping Contact FAQ Dried Lemons, \$3.59/pound


Organic dried lemons from our farm in California. Lemons are harvested and sun-dried for maximum flavor. Good in soups and on popcorn.

The lemon, Citrus Limon (l.) Osbeck, is a species of small evergreen tree in the flowering plant family rutaceae. The tree's ellipsoidal yellow fruit is used for culinary and non-culinary purposes throughout the world, primarily for its juice, which has both culinary and cleaning uses. The juice of the lemon is about 5% to 6% citric acid, with a ph of around 2.2, giving it a sour taste.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Curabitur in tempus quam. In mollis et ante at consectetur. Aliquam erat volutpat. Donec at lacinia est. Duis semper, magna tempor interdum suscipit, ante elit molestie urna, eget efficitur risus nunc ac elit. Fusce quis blandit lectus. Mauris at mauris a turpis tristique lacinia at nec ante. Aenean in scelerisque tellus, a efficitur Integer justo enim, ornare vitae sem non, mollis fermentum lectus. Mauris ultrices nisl at libero porta sodales in ac orci. function Ball(r) { this.radius = r: this.area = pi \* r \*\* 2:


this.show = function(){

drawCircle(r);





Language model  $\mathbf{X}_2$   $\mathbf{X}_3$   $\mathbf{Y}_1$   $\mathbf{Y}_2$  .  $\mathbf{X}_1 \quad \mathbf{X}_2 \quad \mathbf{X}_3 \quad \mathbf{y}_1 \quad \mathbf{y}_2$ 


Prefix LM  $\mathbf{X}_2$   $\mathbf{X}_3$   $\mathbf{Y}_1$   $\mathbf{Y}_2$  .



Objective	Inputs	Targets
Prefix language modeling	Thank you for inviting	me to your party last week .
BERT-style	Thank you $\langle M \rangle \langle M \rangle$ me to your party apple week .	(original text)
Deshuffling	party me for your to . last fun you inviting week Thank	(original text)
I.i.d. noise, mask tokens	Thank you $\langle M \rangle \langle M \rangle$ me to your party $\langle M \rangle$ week .	(original text)
I.i.d. noise, replace spans	Thank you <x> me to your party <y> week .</y></x>	<x> for inviting <y> last <z></z></y></x>
I.i.d. noise, drop tokens	Thank you me to your party week.	for inviting last
Random spans	Thank you $$ to $$ week .	<x> for inviting me <math><y></y></math> your party last <math><z></z></math></x>








Model	GLUE Average	CNN/DM ROUGE-2-F	SQuAD EM	SuperGLUE Average	WMT EnDe BLEU	WMT EnFr BLEU	WMT EnRo BLEU
Previous best	89.4	20.30	90.1	84.6	33.8	43.8	38.5
T5-Small	77.4	19.56	87.24	63.3	26.7	36.0	26.8
T5-Base	82.7	20.34	92.08	76.2	30.9	41.2	28.0
T5-Large	86.4	20.68	93.79	82.3	32.0	41.5	28.1
T5-3B	88.5	21.02	94.95	86.4	31.8	42.6	28.2
T5-11B	90.3	21.55	91.26	89.3	32.1	43.4	28.1

File Edit View Insert Runtime Tools Help Last edited on Dec 7, 2019	🖘 Share 👗 🏟 🧔
+ Code + Text 💩 Copy to Drive	Connect 👻 🧨 Editing 🔺
Open in Colab	<u> </u>
<ul> <li>Copyright 2019 The T5 Authors</li> <li>Licensed under the Apache License, Version 2.0 (the "License");</li> </ul>	
↔ 1 cell hidden	


### Fine-Tuning the Text-To-Text Transfer Transformer (T5) for Context-Free Trivia

### Or: What does T5 know?


The following tutorial guides you through the process of fine-tuning a pre-trained T5 model, evaluating its accuracy, and using it for prediction, all on a free Google Cloud TPU CO Open in Colab




## Reading Comprehension




### **Open-Domain Question Answering**




### Closed-Book Question Answering






	NQ	WQ	TQA
Open-domain SoTA	44.5	45.5	68.0
Closed-book SoTA	29.9	41.5	71.2


	NQ	WQ	TQA
Open-domain SoTA	44.5	45.5	68.0
Closed-book SoTA	29.9	41.5	71.2
T5-Base	27.0	29.1	29.1
T5-Large	29.8	32.2	35.9
T5-3B	32.1	34.9	43.4
T5-11B	34.5	37.4	50.1





SSM data from "REALM: Retrieval-Augmented Language Model Pre-Training" by Guu et al.


	NQ	WQ	TQA
Open-domain SoTA Closed-book SoTA	$\begin{array}{c} 44.5 \\ 29.9 \end{array}$	$\begin{array}{c} 45.5\\ 41.5 \end{array}$	68.0 $71.2$
T5-Base	27.0	29.1	29.1
T5-Large	29.8	32.2	35.9
T5-3B	32.1	34.9	43.4
T5-11B	34.5	37.4	50.1
T5-11B + SSM	36.6	44.7	60.5



	NQ	WQ	TQA
Open-domain SoTA	44.5	45.5	68.0
Closed-book SoTA	29.9	41.5	71.2
T5-Base	27.0	29.1	29.1
T5-Large	29.8	32.2	35.9
T5-3B	32.1	34.9	43.4
T5-11B	34.5	37.4	50.1
T5-11B + SSM	36.6	44.7	60.5
T5.1.1-Base	26.8	28.8	30.6
T5.1.1-Large	28.9	30.8	37.2
T5.1.1-XL	32.2	33.8	45.1
T5.1.1-XXL	34.2	37.4	52.5
T5.1.1-XXL + SSM	37.9	43.5	61.6

Category	Question	Target(s)	T5 Prediction
True Negative	what does the ghost of christmas present sprinkle from his torch	little warmth, warmth	confetti
Phrasing Mismatch	who plays red on orange is new black	kate mulgrew	katherine kiernan maria mulgrew
Incomplete Annotation	where does the us launch space shuttles from	florida	kennedy lc39b
Unanswerable	who is the secretary of state for northern ireland	karen bradley	james brokenshire

	Category	Question	Target(s)	T5 Prediction
X	True Negative	what does the ghost of christmas present sprinkle from his torch	little warmth, warmth	confetti
$\checkmark$	Phrasing Mismatch	who plays red on orange is new black	kate mulgrew	katherine kiernan maria mulgrew
$\checkmark$	Incomplete Annotation	where does the us launch space shuttles from	florida	kennedy lc39b
	Unanswerable	who is the secretary of state for northern ireland	karen bradley	james brokenshire
			haion oradioj	Junes broken



Exact Match:  $36.6 \rightarrow 57.8\%$ !

Cons	Pros

Cons	Pros
- Giant model (11 billion parameters)	- Actually smaller (?) than indices used for retrieval

Cons	Pros
<ul><li>Giant model (11 billion parameters)</li><li>Expensive to run inference</li></ul>	<ul> <li>Actually smaller (?) than indices used for retrieval</li> <li>Doesn't need to do retrieval or process context to produce answer</li> </ul>

Cons	Pros
- Giant model (11 billion parameters)	<ul> <li>Actually smaller (?) than indices used for retrieval</li> </ul>
- Expensive to run inference	<ul> <li>Doesn't need to do retrieval or process context to produce answer</li> </ul>
- Can generate anything	- Can generate anything

Cons	Pros
- Giant model (11 billion parameters)	<ul> <li>Actually smaller (?) than indices used for retrieval</li> </ul>
- Expensive to run inference	<ul> <li>Doesn't need to do retrieval or process context to produce answer</li> </ul>
<ul> <li>Can generate anything</li> </ul>	- Can generate anything
- Doesn't provide evidence	<ul> <li>Learns from giant, unstructured, noisy web text</li> </ul>

Pros
<ul> <li>Actually smaller (?) than indices used for retrieval</li> </ul>
<ul> <li>Doesn't need to do retrieval or process context to produce answer</li> </ul>
- Can generate anything
<ul> <li>Learns from giant, unstructured, noisy web text</li> </ul>
- Clear avenues for future work 😛

Cons	Pros
- Giant model (11 billion parameters)	<ul> <li>Actually smaller (?) than indices used for retrieval</li> </ul>
- Expensive to run inference	<ul> <li>Doesn't need to do retrieval or process context to produce answer</li> </ul>
- Can generate anything	- Can generate anything
- Doesn't provide evidence	<ul> <li>Learns from giant, unstructured, noisy web text</li> </ul>
<ul> <li>Not obvious how to add or remove facts</li> </ul>	- Clear avenues for future work 😛
- Not state-of-the-art	<ul> <li>Extremely simple approach that works surprisingly well</li> </ul>

Cons	Pros
- Giant model (11 billion parameters)	<ul> <li>Actually smaller (?) than indices used for retrieval</li> </ul>
- Expensive to run inference	<ul> <li>Doesn't need to do retrieval or process context to produce answer</li> </ul>
- Can generate anything	- Can generate anything
- Doesn't provide evidence	<ul> <li>Learns from giant, unstructured, noisy web text</li> </ul>
<ul> <li>Not obvious how to add or remove facts</li> </ul>	- Clear avenues for future work 😛
- Not state-of-the-art	<ul> <li>Extremely simple approach that works surprisingly well</li> </ul>
<ul> <li>Closed-book question answering is hard to evaluate</li> </ul>	<ul> <li>Tests implicit knowledge with an important real-world problem</li> </ul>



Adam Roberts



Noam Shazeer



Katherine Lee



Sharan Narang



Michael Matena



Yanqi Zhou





Peter J. Liu

Questions?